

# EMC TEST REPORT

**Report No.:** EMC2020025RP **Issue Date:** 2020-4-28

**Model No.:** DKMW06F-05, DKMW06F-12,DKMW06F-15,DKMW06F-24 ,  
DKMW06G-05, DKMW06G-12,DKMW06G-15

**Product Name:** DC-DC Converter

**Applicant:** MEAN WELL ENTERPRISES CO., LTD.

**Address:** No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan  
24891

**Brand Name:**



**Manufacturer:** MEAN WELL ENTERPRISES CO., LTD.

**Address:** No. 28, Wuquan 3rd Road, Wugu District, New Taipei City, Taiwan  
24891

**Factory1:** MEAN WELL (GUANGZHOU) ELECTRONICS CO., LTD.

**Address1:** No.11, Jin' gu South Road, Huadong Town, Huadu District, Guangzhou,  
Guangdong Province, China.510890

**Factory2:** SUZHOU MEAN WELL TECHNOLOGY CO., LTD.

**Address2:** No.77, Jian-Ming Rd. Dong-Qiao, Pan-Yang Ind. Park, Huang-Dai Town,  
Xiang-Cheng District, Suzhou, Jiang-Su, China.215152

This report only applied to the specific samples tested under stated test conditions. It is the manufacturer's responsibility to assure that additional products as the same as test samples are manufactured with identical circuit and electrical components.

The test report may only be reproduced or published in full. Reproduction or publication of extracts from the report requires the prior written approval of Mean Well.

## TABLE OF CONTENTS

<b>1. TEST SUMMARY</b> .....	<b>4</b>
1.1 Summary of Standards and Test Results.....	4
1.2 Test Equipment List.....	6
<b>2. TEST SETUP AND TEST DATA</b> .....	<b>8</b>
2.1 Conducted Emission.....	8
2.1.1 Test Setup.....	8
2.1.2 Test Limits.....	8
2.1.3 Test Result.....	9
2.2 Radiated Emission.....	13
2.2.1 Test Setup.....	13
2.1.2 Test Limits.....	13
2.1.3 Test Result.....	14
2.3 Harmonic Current.....	18
2.3.1 Test Setup.....	18
2.3.2 Test Limits.....	18
2.3.3 Test Result.....	18
2.4 Flicker.....	19
2.4.1 Test Setup.....	19
2.4.2 Test Limits and Result.....	19
2.5 Electrostatic Discharge Immunity.....	20
2.5.1 Test Setup.....	20
2.5.2 Test Result.....	20
2.6 Radio-frequency Electromagnetic Field Immunity.....	22
2.6.1 Test Setup.....	22
2.6.2 Test Result.....	22
2.7 Electrical Fast Transients.....	24
2.7.1 Test Setup.....	24
2.7.2 Test Result.....	24
2.8 Surge.....	25
2.8.1 Test Setup.....	25
2.8.2 Test Result.....	26
2.9 Radio-frequency Continuous Conducted Immunity.....	27
2.9.1 Test Setup.....	27
2.9.2 Test Result.....	27
2.10 Power-frequency Magnetic Fields Immunity.....	29
2.10.1 Test Setup.....	29
2.10.2 Test Result.....	29
2.11 Voltage Dip and Short Interruption.....	30
2.11.1 Test Setup.....	30
2.11.2 Test Result.....	30
<b>3. PHOTOS OF EUT</b> .....	<b>31</b>

## Test Standards:

- - CISPR 32:2015 (EN 55032:2015)
  - - Class A
  - - Class B
- - CISPR 24:2010+A1:2015 (EN 55024:2010+A1:2015)

## Test Locations:

- - CVC  
Address: No.3 Tiantaiyi Road, Kaitai Avenue, Science City, Guangzhou 510663, P.R.China
- - MORNSUN  
Address: No.8, Nanyun Road 4, Guangzhou Science City, Guangzhou, 510663, P.R.China

## EUT Description:

Model	Input	Output voltage (VDC)	Output Current (mA)	Output power	Transformer type
DKMW06F-05	9-36Vdc, 1.0A	±5V	±600mA	6W	51401231
DKMW06F-12		±12V	±250mA	6W	51401249
DKMW06F-15		±15V	±200mA	6W	51401250
DKMW06F-24		±24V	±125mA	6W	51401251
DKMW06G-05	18-75Vdc, 0.5A	±5V	±600mA	6W	51401252
DKMW06G-12		±12V	±250mA	6W	51401253
DKMW06G-15		±15V	±200mA	6W	51401232

wKMW6x-yyzzz(w=D;x=F,G;yy=05,12,15,24;zzz=0~9,a~z or blank).

w = D means product's output is the dual channel output. X = F means product's nominal input is 24 v, X = G means product's nominal input is 48 v,

yy =05,12,15,24 for output voltage .z = 0 ~ 9, a to z or blank, wKMW6x-yyzzz and wKMW6x-yy for products are the same, except for different model name.

## General Remarks:

All EMC tests of emission were applied to the models DKMW06G-05 ,DKMW06G-15 and DKMW06F-24 according to the difference above.

Prepared by:

*Tao Liu*

Tao Liu  
Date: 2020-4-21

Reviewed by:

*Dong Wei*

Dong Wei  
Date: 2020-4-28