

IEC**IECEE**

®

TM

Ref. Certif. No.

DE 2-039461

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME**CB TEST CERTIFICATE**

Product	Independent LED driver
Name and address of the applicant	MEAN WELL Enterprises Co.,Ltd. No. 28, Wuquan 3rd Rd. Wugu District New Taipei City 24891 Taiwan
Name and address of the manufacturer	MEAN WELL Enterprises Co.,Ltd. No. 28, Wuquan 3rd Rd. Wugu District New Taipei City 24891 Taiwan
Name and address of the factory	See additional page(s)
Ratings and principal characteristics	AC Input : 200-240V, 50/60Hz, 0.2A; Class II DC Output(constant current mode): Refer to page 3.
Trademark (if any)	MEAN WELL(Logo)
Customer's Testing Facility (CTF) Stage used	N/A
Model / Type Ref.	LCM-25X (X = DA, KN, DA2 or blank)
Additional information (if necessary may also be reported on page 2)	For model differences, refer to the test report.
A sample of the product was tested and found to be in conformity with	IEC 61347-2-13:2014+A1 IEC 61347-1:2015+A1
As shown in the Test Report Ref. No. which forms part of this Certificate	CN2325TK 001

This CB Test Certificate is issued by the National Certification Body

**TÜVRheinland**®TÜV Rheinland LGA Products GmbH
Tillystr. 2, 90431 Nürnberg, Germany
Phone + 49 221 806-1371
Fax + 49 221 806-3935
Mail: cert-validity@de.tuv.com
Web : www.tuv.com

Date: 2023-06-20

Signature:

Eileen Feng

Factories :

1. MEAN WELL Enterprises Co., Ltd.
No. 28, Wuquan 3rd Rd.,
Wugu District,
New Taipei City 24891
Taiwan
2. Suzhou MEAN WELL Technology Co., Ltd.
No.269, Changping Road, Huangdai Town,
Xiangcheng District, Suzhou
Jiangsu
P.R. China
3. MEAN WELL (GUANGZHOU) Electronics
Co., Ltd.
No. 11 Jingu South Road, Huadu District,
Guangzhou,
510890 Guangdong, P.R. China
4. Yongden Technology Corporation
345 MacArthur Highway, Tabang,
Guiguinto, Bulacan 3015
Philippines
5. MEAN WELL INDIA ELECTRONICS PRIVATE
LIMITED
9C, Peenya industrial area, Chokkasandra, 2ND PHASE, PEENYA,
Bengaluru (Bangalore) Urban, Karnataka, 560058
India

Additional information :

DC Output (constant current mode):

- 1) VOUT=54V, IOUT=0.35A, 18.9W, ta=50°C
 - 2) VOUT=50V, IOUT=0.5A, 25W, ta=50°C
 - 3) VOUT=42V, IOUT=0.6A, 25.2W, ta=50°C
 - 4) VOUT=36V, IOUT=0.7A, 25.2W, ta=50°C
 - 5) VOUT=28V, IOUT=0.9A, 25.2W, ta=45°C
 - 6) VOUT=24V, IOUT=1.05A, 25.2W, ta=40°C
- tc=85°C, Vo max.=59V



Date: 2023-06-20

Signature:



Eileen Feng